

# Amphenol®



## Amphenol® KTK High Pressure Downhole Connector


Amphenol Industrial Operations now offers our KTK, Kintec-compatible and high-pressure, downhole connector. Fully compatible with the GE Tensor configuration, these connectors offer high pressure and high temperature sealed connections standard in the downhole industry. One of the many upcoming downhole connectors, the KTK product line is machined molded and machined glass-filled epoxy with gold contacts and a Viton O-ring.

### Features:


- High Pressure: 20,000 PSI (137 MPA) bi-directional
- Medium and High Temperature versions: 200°C and 170°C
- Machined molded and machined glass-filled epoxy
- Fully compatible with Kintec and GE Tensor layouts
- Gold contacts designed for longer life/mating cycles
- Solder pot connections
- Cable Assemblies/Pigtails Available

## HIGH TEMPERATURE SERIES


C10-686909-000  
6 pin/4 socket



C10-686910-000  
4 pin/6 socket




C10-686926-000  
10 pin solder to solder connector




## MEDIUM TEMPERATURE SERIES



C10-686927-000  
6 pin/4 socket



C10-686928-000  
4 pin/6 socket



C10-686929-000  
10 pin solder to solder connector



KTK pigtail assembly with microD

For additional information on the KTK connectors consult Amphenol Industrial Operations.

Notice: Specifications are subject to change without notice. Contact your nearest Amphenol Corporation Sales Office for the latest specifications. All statements, information and data given herein are believed to be accurate and reliable but are presented without guarantee, warranty, or responsibility of any kind, expressed or implied. Statements of suggestions concerning possible use of our products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should assume that all safety measures are indicated or that other measures may not be required. Specifications are typical and may not apply to all connectors. AMPHENOL is a registered trademark of Amphenol Corporation.

For further information on your individual application requirements, contact: Amphenol Corporation

North America:  
Amphenol Industrial Operations  
180 N. Freeport Drive, Plant 4  
Nogales, AZ 85621  
Tel: (520) 285-5130  
Fax: (520) 285-5134

Email: [rpedrzzini@amphenol-ai.com](mailto:rpedrzzini@amphenol-ai.com)

Europe:  
Amphenol Industrial Operations Europe  
Via Barbaiana 5  
1-20020 Lainate (MI) Italy  
Tel: +39 02 93254.204  
Fax: +39 02 93254.444

Email: [info@amphenol-ai.com](mailto:info@amphenol-ai.com)

Middle East:  
Amphenol Middle East Enterprises FZE  
Office C-37 PO Box 21107  
Ajman Free Zone, UAE  
Tel: +9716-7422494  
Fax: +9716-7422941

Email: [ameefze@eim.ae](mailto:ameefze@eim.ae)

Asia:  
Amphenol Technology Shenzhen Ltd  
Block 5 Fuan 2nd Industrial Park  
Dayang Rd, Fuyong Baoan  
Baoan, Shenzhen, China 518103  
Tel: +86 755 2881 8389  
Fax: +86 755 2991 8310  
Email: [enquiry@amphenol-ai.com](mailto:enquiry@amphenol-ai.com)